

Index

- $E[Y]$, 110, 163, 181
- F distribution, 295, 726
- F test, 295, 537, 609, 612
- F_s , 295, 537
- G^2 , 659
- H_0 , 245
- H_1 , 246
- P value, 250
- R^2 , 546, 590
- T_s , 259, 543, 590
- $Var[Y]$, 113, 163, 182
- Z_s , 246, 591
- α , 247
- \bar{Y} , 49
- \bar{Y} distribution, 225
- β , 253
- χ^2 distribution, 228, 723
- r , 589
- s^2 , 51
- t distribution, 226, 720
- Iris*, 713
- Anagrus columbi*, 114
- Anagrus delicatus*, 629, 703
- Batrachochytrium dendrobatidis*, 86
- Dendroctonus frontalis*, 529
- Ips grandicollis*, 641
- Iris*, 581
- Lynx rufus*, 517
- Ostrinia nubilalis*, 123
- Prokelisia crocea*, 114
- Prokelisia marginata*, 629
- Spartina*, 629
- Temnochila virescens*, 76
- Thanasimus dubius*, 49, 641, 655, 694, 698
- acceptance region, 247
- alternative hypothesis, 246
- analysis of covariance, 609, 641
- analysis of variance, 281
- ANCOVA, 609, 641
 - F tests, 643
 - H_0 , 643
 - adjusted means, 644
 - equal slopes assumption, 643
 - interaction, 643
 - model, 643
- ANOVA, 281
 - R^2 , 547
 - factorial design, 387
 - nested, 609
 - nested one-way, 629
 - H_0 (factor A fixed), 631
 - model (Factor A fixed), 631
 - one-way, 281
 - one-way fixed effects
 - F test, 297
 - H_0 , 286
 - model, 286
 - one-way random effects
 - F test, 297
 - H_0 , 289
 - model, 289
 - three way all fixed effects
 - tests for main effects with interaction, 623
 - three-way
 - random effects, 628
 - three-way all fixed effects, 609
 - H_0 , 612
 - interaction, 609, 612
 - model, 612
 - no replication, 628
 - two-way, 387

- interaction, 387
- two-way all fixed effects
 - F tests, 401
 - H_0 , 398
 - interaction, 396
 - main effects, 396
 - model, 396
 - tests for main effects with interaction, 424
- two-way without replication, 431
 - F tests, 435
 - H_0 , 431
 - model, 431
- ANOVA assumptions, 469
 - additivity, 472
 - homogeneity of variances, 470
 - independence, 469
 - normality, 471
 - outliers, 471
- ANOVA table, 297, 405, 434, 536
- association, 529, 581
- balanced design, 282, 389
- bark beetles, 49, 281, 530
- Bayes theorem, 89
- Bayesian statistics, 91
- bias correction, 215
- binomial coefficient, 97
- binomial distribution, 96, 474, 655
- binomial proportion, 474
- bivariate normal distribution, 584
- bobcats, 517
- central limit theorem, 195, 225
 - applications, 202
- chitons, 496
- chytrid fungus, 86
- coefficient of determination, 590
- coefficient of variation, 51
- complement, 79
- completely randomized design, 393, 447
- conditional probability, 85
- confidence intervals, 223, 347, 358, 365, 367
 - μ, σ^2 estimated, 233
 - μ, σ^2 known, 230
 - σ^2 , 235
 - sample size, 237
- confidence intervals and hypothesis testing, 272
- correlation, 529, 581
 - H_0 , 584
 - t test, 590
 - arctanh transformation, 590
 - model, 584
- correlation assumptions, 600
- correlation coefficient, 589
- covariate, 641
- cowpea weevils, 641
- critical region, 247
- cumulative distribution function, 146
 - normal distribution, 154
 - uniform distribution, 146
- data
 - categorical, 16, 655
 - continuous, 16
 - discrete, 16
 - rank, 16
- degrees of freedom, 226, 228
 - denominator, 295
 - numerator, 295
- dependent variable, 529
- derivatives, 37
- descriptive statistics, 48
- distribution-free tests, 495
- elytra, 49
- estimator vs. estimates, 209
- events, 77
- exact tests, 500
- expected frequencies, 655, 656
- expected value, 110, 163, 181
 - linear function, 183
 - sum, 183
- exponents, 21
- factorials, 97
- false positive, 91
- fixed effects, 285
- fixed vs. random effects, 285, 629
- frequency distribution, 52
- frequentist statistics, 91

- function, 24
 - absolute value, 26
 - exponential, 25
 - gamma, 106
 - linear, 25
 - log, 25
 - maximum, 39
 - minimum, 39
 - normal distribution, 26
 - quadratic, 25
- general linear models, 529
- goodness-of-fit test, 655, 657, 663
 - H_0 , 658
 - χ^2 test, 660, 664
 - combining frequencies, 668
 - degrees of freedom, 660, 664
 - estimated parameters, 668
 - degrees of freedom, 668
 - likelihood ratio test, 659, 664
- grand mean, 291
- grassland plants, 388, 610, 701
- heteroscedasticity, 471
- highly significant, 251
- homoscedasticity, 470
- independence, 84, 584
- independent variable, 529
- inequalities, 23
- integrals, 43
- intersection, 78
- Kolmogorov-Smirnov test, 496, 512
 - D , 512
 - H_0 , 512
- Kruskal-Wallis test, 496, 507
 - H , 507
 - χ^2 approximation, 507
- kurtosis, 62
- least square means, 408
- least squares, 535
- leptokurtic, 62
- likelihood function, 658
- likelihood ratio test, 220, 273, 459, 658
- ANOVA
 - one-way, 317
 - two-way, 405
- correlation, 590
- linear regression, 535
- one-sample t test, 273
- likelihood theory, 14
- linear equation, 35
- linear regression, 529
 - F test, 537
 - H_0 , 533
 - R^2 , 547
 - t test, 543
 - confidence intervals, 542
 - model, 533
- linear regression assumptions, 558
- loglinear models, 657
- Mann-Whitney U test, 501
- marginal distributions, 584
- maximum likelihood, 128, 207
 - ANOVA
 - one-way, 315
 - asymptotically normal, 220
 - asymptotically unbiased, 220
 - binomial data, 658
 - consistency, 211, 220
 - correlation, 589
 - estimates, 207
 - likelihood function, 207, 534
 - linear regression, 533
 - normal data, 215
 - Poisson data, 209
 - variance vs. sample size, 220
- maximum likelihood estimates, 658
- mean squares, 291, 401, 431, 536
- median, 50
- Mendel's peas, 663
- Mendelian genetics, 663
- mixed model, 447
- mixture of distributions, 106
- mode, 59
- Model I, 285
- Model II, 285
- multinomial distribution, 655, 664
- multiple comparisons, 343

- DSD*, 365
- HSD*, 358
- H_0 , 344
- LSD*, 348
- all possible pairwise comparisons, 344
- Bonferroni, 367
- comparisons with a control, 344
- Dunnett, 365
- EER, 345
- EER vs. power, 361
- experimentwise error rate, 345
- false discovery rate, 346, 377
- FDR, 346, 377
- least significant difference, 347
- letters, 350
- multiple range tests, 361
- multiplicity problem, 345
- per comparison error rate, 344
- sequential Bonferroni, 368
- Sidak, 368
- simultaneous confidence intervals, 357
- Tukey, 357
- negative binomial distribution, 106, 473, 669
- nematodes, 517
- non-central F distribution, 327
- non-central t distribution, 264
- nonlinear regression, 558
- nonparametric tests, 495
 - assumptions, 525
- nonsignificant, 251
- normal distribution, 151, 718
 - standard, 152
- normal quantile plot, 164
- normal quantile plot of residuals, 478
- null hypothesis, 245
- observed frequencies, 655, 656
- one-sample t test, 259
- one-sample Z test, 250
- one-tailed t test, 268
- one-tailed test, 248
- outlier detection using residuals, 478
- overdispersed, 136, 669
- parametric tests, 495
- Pearson correlation coefficient, 590
- percentiles, 50
- pheromones, 388
- planthopper, 629
- platykurtic, 62
- Poisson assumptions, 102
- Poisson distribution, 102, 473
- positive predictive value, 89
- power, 253, 325
 - factors affecting, 258, 328
- power analysis, 253, 325
 - one-sample t test, 264
 - one-way ANOVA, 330
- precision, 223, 237
- predicted values, 475
- prediction intervals, 544
- predictor, 475, 476
- prevalence, 89
- probability distribution, 82
- probability space, 84
- probability theory, 77
- prospective power analysis, 325
- pseudoreplication, 470
- quantiles, 50
- quartiles, 50
- random assignment of treatments, 393
- random effects, 285
- random sample, 48, 184, 205
- random variable, 95
- randomization, 470
- randomization distribution, 517, 520
- randomization test
 - H_0 , 516
- randomization tests, 496, 516
- randomized block design, 388, 447
 - F test, 449
 - H_0 , 449
 - model, 449
 - test for block effect, 459
- randomized block in space, 447
- randomized block in time, 447
- range, 52
- ranks, 496
- rejection region, 247

- REML, 317, 449
- residual analysis, 469, 474
- residual vs. predicted plot, 477
- residuals, 476
- restricted maximum likelihood, 317, 449
- retrospective power analysis, 325
- roots, 36

- sample covariance, 589
- sample mean, 49
 - $E[\bar{Y}]$, 184
 - $Var[\bar{Y}]$, 185
 - expected value, 184
 - theoretical variance, 185
- sample size, 49
- sample space, 77
- sample variance, 51
 - $E[s^2]$, 185
 - expected value, 185
- sampling distribution, 224
- SAS
 - * comment, 27
 - ;, 27
 - by, 165, 519
 - data, 27, 117, 547, 591, 613, 632
 - \$, 53
 - arsin, 485
 - cinv, 723
 - datalines, 53
 - do, 27
 - finv, 726
 - if-then-delete, 450
 - if-then-else, 71
 - input, 53
 - log10, 299, 613
 - output, 27
 - pdf, 98
 - probchi, 460
 - probnorm, 154, 718
 - ranuni, 394
 - tin, 720
 - ods graphics on, off, 591
 - ods output, 330
 - options, 27
 - proc corr, 591
 - plots=(scatter matrix), 591
 - spearman, 604
 - var, 591
 - proc freq, 72, 114, 661, 677, 684
 - exact chisq, 661, 678
 - tables / chisq, 678
 - tables / expected, 684
 - tables / out= outpct, 678
 - tables / testp, 661
 - tables, 72, 114, 661, 678
 - weight, 661
 - proc gchart, 513, 678
 - vbar / subgroup=, 678
 - proc gchartvbar / subgroup=, 684
 - proc genmod, 128
 - proc glm, 299, 408, 502, 519, 547, 548, 613, 644
 - class, 300, 408, 613
 - lsmeans / adjust=t pdiff, 379
 - lsmeans / adjust=tukey, 408, 613
 - lsmeans / slice, 424, 623
 - lsmeans, 408, 438, 613, 644
 - means / bon, 369
 - means / regwq, 363
 - means / t, 349
 - means / tukey, 358
 - means, 300
 - model / clm, 548
 - model / clparm, 548
 - model / ss2 ss3, 428
 - model / ss2, 424
 - model, 300, 408, 548, 613
 - noprint, 519
 - outstat=, 519
 - proc gplot, 29, 117, 408, 478, 501, 548, 591, 613, 632
 - haxis and vaxis, 300
 - plot / overlay, 548
 - plot, 29, 299, 408, 548
 - symbol1, 29, 300, 548
 - proc mixed, 299, 307, 450, 632
 - class, 307, 450, 632
 - lsmeans, 451, 633
 - method=type3, 307
 - model / ddfm=kr, 307, 451
 - model / outp=, 478

- model, 307, 451, 632
 - random, 307, 451, 633
- proc multtest, 368, 380
- proc nlin, 558
- proc nlmixed, 558
- proc npar1way, 501
 - class, 501
 - edf, 513
 - exact ks, 513
 - exact wilcoxon, 501
 - var, 501
 - wilcoxon, 501
- proc power, 264, 326, 330
 - onesamplemeans, 264
 - onewayanova, 330
- proc print, 28
- proc sort, 394
- proc ttest, 526
- proc univariate, 54, 117, 236, 261, 478
 - cibasic, 237
 - class, 54
 - freq, 117
 - histogram, 54, 165
 - mu0, 261
 - qqplot, 165
 - var, 54
- quit, 29
- run, 28
- title, 27
- macro program, 519
 - %rand_anl.sas, 519
 - %rand_gen.sas, 519
- macro variable, 209
- missing values, 65
- programs, 26
- Sum of squares
 - Type I, 301, 409
 - Type II, 424
 - Type III, 301, 409, 424, 613
- scope of inference, 47
- sensitivity, 89
- significant, 251
- simple events, 77
- skewness, 59
- spatial distribution, 136
- Spearman rank correlation, 602
- species-area relationship, 559
- specificity, 89
- standard deviation, 51
- standard error, 185, 224
- statistical model, 14, 17, 393
- statistical population, 47
- statistics of dispersion, 49
- statistics of location, 48
- studentized range distribution, 357
- sum of squares, 291, 401, 431, 536
- test statistic, 246
- tests of independence, 656, 674
 - H_0 , 675
 - χ^2 test, 676
 - degrees of freedom, 676
 - likelihood ratio test, 676
- theoretical mean, 110, 163, 181
- theoretical variance, 112, 163, 182
 - linear function, 183
 - sum, 184
- tilapia, 245
- transformations, 182, 473, 558
- transformations when data are limited, 492
- two-sample t test, 318, 501
- two-tailed test, 248
- Type I error, 247
- Type I error rate, 247
- Type II error, 253
- Type II error rate, 253
- unbalanced design, 282, 389
- unbiased estimator, 184
- underdispersed, 136
- uniform distribution, 144
 - random coordinates, 147
- union, 78
- variance components, 289, 308, 449, 451, 631
- variance-stabilizing transformations, 469, 473
- vernal pools, 349
- Welch t test, 525

Wilcoxon test, 496, 499
 H_0 , 499
 W , 500
 normal approximation, 501