

## Descriptive statistics for the development data

Obs	time_pp	time_adult
1	34	65
2	31	48
3	29	.
4	30	55
5	32	62
6	32	47
7	37	44
8	34	53
9	31	.
10	37	53
11	32	.
12	31	42
13	29	.
14	35	.
15	39	.
16	34	43
17	32	.
18	34	.
19	34	113
20	32	47
21	32	100
22	41	.
23	32	49
24	29	.
25	32	53
26	39	.
27	39	84
28	35	.
29	32	.
30	35	74
31	36	43
32	31	50
33	34	.
34	35	44
35	35	116
36	34	.
37	34	.
38	37	58
39	36	101
40	32	67

41	34	68
42	34	61
43	28	66
44	31	84
45	30	68
46	28	106
47	28	42
48	31	58
49	31	42
50	28	68
51	32	55
52	32	.
53	30	101
54	30	99
55	39	43
56	30	80
57	28	52
58	27	50
59	28	110
60	28	42
61	30	.
62	28	66
63	28	147
64	27	.
65	37	135
66	30	119
67	29	113
68	30	103
69	30	95
70	27	87
71	29	89
72	33	.
73	27	76
74	27	.
75	30	.
76	30	49
77	30	81
78	29	85
79	27	.
80	31	104
81	27	73
82	27	110
83		

	27	.
84	31	99
85	31	55
86	31	59
87	27	.
88	30	93
89	27	.
90	28	84
91	28	93
92	29	.
93	29	108
94	31	103
95	33	.
96	29	92

## Descriptive statistics for the development data

The UNIVARIATE Procedure  
Variable: time\_pp

Moments			
<b>N</b>	96	<b>Sum Weights</b>	96
<b>Mean</b>	31.3541667	<b>Sum Observations</b>	3010
<b>Std Deviation</b>	3.32764866	<b>Variance</b>	11.0732456
<b>Skewness</b>	0.75038358	<b>Kurtosis</b>	0.04666776
<b>Uncorrected SS</b>	95428	<b>Corrected SS</b>	1051.95833
<b>Coeff Variation</b>	10.6130987	<b>Std Error Mean</b>	0.33962672


Basic Statistical Measures			
Location		Variability	
<b>Mean</b>	31.35417	<b>Std Deviation</b>	3.32765
<b>Median</b>	31.00000	<b>Variance</b>	11.07325
<b>Mode</b>	30.00000	<b>Range</b>	14.00000
		<b>Interquartile Range</b>	5.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
<b>Student's t</b>	<b>t</b>	92.31949	<b>Pr &gt;  t </b>	<.0001
<b>Sign</b>	<b>M</b>	48	<b>Pr &gt;=  M </b>	<.0001
<b>Signed Rank</b>	<b>S</b>	2328	<b>Pr &gt;=  S </b>	<.0001

Quantiles (Definition 5)	
Level	Quantile
<b>100% Max</b>	41
<b>99%</b>	41
<b>95%</b>	39
<b>90%</b>	36
<b>75% Q3</b>	34
<b>50% Median</b>	31
<b>25% Q1</b>	29
<b>10%</b>	27
<b>5%</b>	27
<b>1%</b>	27
<b>0% Min</b>	27

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
27	89	39	15
27	87	39	26


27	83	39	27
27	82	39	55
27	81	41	22




---

**Descriptive statistics for the development data**

The UNIVARIATE Procedure  
Variable: time\_pp



## The UNIVARIATE Procedure



## Descriptive statistics for the development data

The UNIVARIATE Procedure  
Variable: time\_adult

Moments			
<b>N</b>	68	<b>Sum Weights</b>	68
<b>Mean</b>	75.3529412	<b>Sum Observations</b>	5124
<b>Std Deviation</b>	26.3465791	<b>Variance</b>	694.14223
<b>Skewness</b>	0.51461555	<b>Kurtosis</b>	-0.6244048
<b>Uncorrected SS</b>	432616	<b>Corrected SS</b>	46507.5294
<b>Coeff Variation</b>	34.9642346	<b>Std Error Mean</b>	3.19499201

Basic Statistical Measures			
Location		Variability	
<b>Mean</b>	75.35294	<b>Std Deviation</b>	26.34658
<b>Median</b>	68.00000	<b>Variance</b>	694.14223
<b>Mode</b>	42.00000	<b>Range</b>	105.00000
		<b>Interquartile Range</b>	46.50000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
<b>Student's t</b>	<b>t</b>	23.5847	<b>Pr &gt;  t </b>	<.0001
<b>Sign</b>	<b>M</b>	34	<b>Pr &gt;=  M </b>	<.0001
<b>Signed Rank</b>	<b>S</b>	1173	<b>Pr &gt;=  S </b>	<.0001


Quantiles (Definition 5)	
Level	Quantile
<b>100% Max</b>	147.0
<b>99%</b>	147.0
<b>95%</b>	116.0
<b>90%</b>	110.0
<b>75% Q3</b>	99.0
<b>50% Median</b>	68.0
<b>25% Q1</b>	52.5
<b>10%</b>	43.0
<b>5%</b>	42.0
<b>1%</b>	42.0
<b>0% Min</b>	42.0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
42	60	113	67
42	49	116	35



42	47	119	66
42	12	135	65
43	55	147	63


Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
.	28	29.17	100.00



---

**Descriptive statistics for the development data**

The UNIVARIATE Procedure  
Variable: time\_adult



## The UNIVARIATE Procedure

## Descriptive statistics for the development data

